## The potential of selected macroalgal species for treatment of AMD at different pH ranges in temperate regions

Paul J. Oberholster a,b, Po-Hsun Cheng a,c, Anna-Maria Botha c,\*, Bettina Genthe a

a CSIR Natural Resources and the Environment, P.O. Box 320, Stellenbosch, 7599, South Africa

b Department of Paraclinical Sciences, Faculty of Veterinary Science, University of Pretoria, Private Bag X04, Onderstepoort, 0110, South Africa

c Department of Genetics, University of Stellenbosch, Private Bag X1, Matieland, Stellenbosch, 7601, South Africa

## Abstract

The metal bioaccumulation potential of selected macroalgae species at different pH ranges was study for usage as part of a possible secondary passive acid mine drainage (AMD) treatment technology in algae ponds. Two separate studies were conducted to determine the suitability of macroalgae for passive treatment when metabolic processes in macrophytes and microorganisms in constructed wetlands decrease during winter months. In the field study, the bioconcentration of metals (mg/kg dry weight) measured in the benthic macroalgae mats was in the following order: site 1. Oedogonium crassum Al > Fe > Mn > Zn; site 2. Klebsormidium klebsii, Al > Fe > Mn > Zn; site 3. Microspora tumidula, Fe > Al > Mn > Znand site 4. M. tumidula, Fe > Mn > Al > Zn. In the laboratory study, cultured macroalgae K. klebsii, O. crassum and M. tumidula isolated from the field sampling sites were exposed to three different pH values (3, 5 and 7), while bioaccumulation of the metals, Al, Fe, Mn and Zn and glutathione S-transferase (GST) activity were measured in the different selected algae species at a constant water temperature of 14 \_C. Bioaccumulation of Al was the highest for O. crassum followed by K. klebsii and M. tumidula (p < 0.0001). From the study it was evident that the highest metal bioaccumulation occurred in the macroalgae O. crassum at all three tested pH values under constant low water temperature.